

Appendix

TYPE	Module	Description
CONTROL UNITS	8922-RB-IS	Railbus Isolator
	8516-BI-PN	PROFINET Scanner Modules
	8515-BI-PN	PROFINET Scanner Modules
	8913-PS-AC	Power Supply
	8914-PS-AC	Power Supply
	8752-CA-NS	Profinet BIM Module Carrier
	8920-PS-DC	IS Module power supply, 24Vdc
	8512-IF-HA	Hart Interface Module
	8612-FT-NA	FLD TERM 16CH NA
	8607-FT-TC	Field Terminal with THC
	8603-FT-FU	Field Terminal fused
	8604-FT-FU	Field Terminal fused
	8611-FT-FU	Field Terminal fused
	8601-FT-NI	Field Terminal
	8606-FT-RT	Field Terminal
	8608-FT-NI	Field Terminal
	8615-FT-4W	Field Terminal
	8622-FT-IS	Field Terminal
	8624-FT-IS	Field Terminal
	8625-FT-IS	Field Terminal
	8626-FT-IS	Field Terminal
	8602-FT-ST	Field Terminal
	8605-FT-TC	Field Terminal
	8610-FT-NA	Field Terminal
	8617-FT-NI	Field Terminal
	8621-FT-IS	Field Terminal
	8623-FT-IS	Field Terminal
	8001-CC-35	Extender Cable
	8002-CC-85	Extender Cable
	8011-CC-35	Extender Cable
	8012-CC-85	Extender Cable
	8013-CC-12	Extender Cable
	8016-CC-35	Extender Cable
	8017-CC-85	Extender Cable
	8018-CC-12	Extender Cable
	8032-CC-35	Extender Cable
	8033-CC-85	Extender Cable
	8034-CC-12	Extender Cable
	8003-CC-12	Extender Cable
	8755-CA-NS	Ethernet Bus Interface Carrier

8522-EB-MT	Ethernet Bus Interface
8421-CC-PS	EBIM Controller power cable
8030-CE-RH	Carrier Extender
8031-CE-LH	Carrier Extender
8020-CE-RH	Carrier Extender
8021-CE-LH	Carrier Extender
8707-CA-08	Carrier
8711-CA-NS	Carrier
8712-CA-NS	Carrier
8715-CA-BI	Carrier
8717-CA-NS	Carrier
8718-CA-NS	Carrier
8723-CA-PS	Carrier
8709-CA-08	Carrier
8710-CA-04	Carrier
8720-CA-04	Carrier
8723-CA-RB	Carrier
8724-CA-PS	Carrier
8129-IO-DC	8-channel Supervised Discrete Input/Output
8133-HI-TX	8-channel Supervised AI, 4-20mA with HART(R)
8811-IO-DC	8-channel Safety Discrete Input/Output
8810-HI-TX	8-channel Safety AI, 4-20mA with HART(R)
8132-AI-UN(1)	8-channel Isolated Universal AI, 4-20mA /THC/RTD/mV/V
8205-TI-IS	8-channel IS THC/mV Input
8206-TI-IS	8-channel IS RTD/ohms Input
8202-HO-IS	8-channel IS AO, 4-20mA with HART(R)
8204-AO-IS	8-channel IS AO, 4-20mA
8201-HI-IS	8-channel IS AI, 4-20mA with HART(R)
8230-AI-IS	8-channel IS AI, 0-10V/Potentiometer
8117-DO-DC	8-channel DO, 2-60Vdc isolated, unpowered
8116-DO-AC	8-channel DO, 20-250Vac non-isolated, module-powered
8118-DO-AC	8-channel DO, 20-250Vac isolated, unpowered
8110-DI-DC	8-channel DI, 24Vdc non-isolated, module-powered
8109-DI-DC	8-channel DI, 24Vdc isolated, sinking
8114-DI-AC	8-channel DI, 230Vac non-isolated, module-powered
8113-DI-AC	8-channel DI, 230Vac isolated, sinking
8112-DI-AC	8-channel DI, 115Vac non-isolated, module-powered
8111-DI-AC	8-channel DI, 115Vac isolated, sinking
8102-HO-IP	8-channel AO, 4-20mA with HART(R)
8104-AO-IP	8-channel AO, 4-20mA
8101-HI-TX	8-channel AI, 4-20mA with HART(R)
8103-AI-TX	8-channel AI, 4-20mA

8119-VI-05	8-channel AI, 1-5V
8115-DO-DC	8-channel DO, 2-60Vdc non-isolated, module-powered
8105-TI-TC	4-channel THC/mV Input
8106-TI-RT	4-channel RTD/ohms Input
8215-DO-IS	4-channel IS DO, solenoid driver
8215-DO-IS	4-channel IS DO, solenoid driver
8127-DI-SE	32-channel DI switch/proximity detector, with SOE
8125-DI-DC	32-channel DI switch/proximity detector
8220-DI-IS	16-channel IS DI, switch/proximity detector
8142-DO-DC(1)	16-channel DO, 12-42Vdc non-isolated, module-powered
8121-DI-DC	16-channel DI, 24Vdc non-isolated, module-powered
8122-DI-DC	16-channel DI, 24Vdc isolated, sinking
8140-DI-AC(1)	16-channel DI, 115Vac block isolated, sinking
8410-NS-PS*	Node Services power supply monitor
8502-BI-DP*	Profibus Bus Interface
8510-MO-NS*	Node Services Module
8139-SH-DC*	126-channel Addressable Smoke and Heat
* Not used in new installations so not tested as per latest standard. Meets the requirements of Lloyd's Register Test Specification Number 1, July 2019	



Chinaka R. Okoroafor
 Americas Technical Support Office
 Lloyd's Register North America Inc.